




Luteal Phase Timeline Window of Implantation 5 – 10 days after conception 5 – 10 days after conception • Approximately day 6 embryo hatches out of it's shell • Blastocyst begins to attach to the uterus • Endometrial cells change to increase the likelihood of an embryo implanting • Pinopodes protrude into the uterus to make the embryo more likely to implant • Trophoblast cells in the embryo burrow into the uterus • The uterus holds embryo in place by pressing its walls together

• Endometrium becomes more secretory









Treat the patient's constitution first, then the phase of the cycle.

Look for and correct potential problems in the luteal phase

BEWARE OF PROTOCOLS!

Research into acupuncture in the luteal phase

"The use of acupuncture in the luteal phase of the cycle should not be encouraged in routine clinical practice until further evidence is available from properly powered RCTs concerning the possible associations between luteal phase acupuncture and miscarriage"

-Acupuncture and Assisted Conception (Review), Cheong YC, Hung Yu Ng E, Ledger WL, Cochrane Library.



Randomized, controlled trial 80 received acupuncture 80 acted as control

Pre Embryo Transfer

Gui Lai ST 29 Qi Hai REN 6 Di Ji SP 8 Tai Chong LIV 3 Bai Hui DU 20 Ear points: Shen men, Zhi gong, Nei fen mi, Nao dian

Post Embryo Transfer

He Gu LI 4 San Yin Jiao SP 6 Xue Hai SP 10 Zu San Li ST 36 Ear points: Shen men, Zhi gong, Nei fen mi, Nao dian

Results : Clinical pregnancy rate

Acupuncture group 42.5% Control 26.3% (p<.03)


Using Acupuncture post ovulation and pre-implantation

Post-conception and pre-implantation

<u>Local points</u> Shui Dao ST 28 Gui Lai ST 29 Si Man KI 14 Zhi gong xue

<u>Distal points</u> Tai Xi Ki 3 Zu San Li ST 36 Bai Hui Du 20

Damp and phlegm Feng Long St 40 Yin Ling Quan SP 9



Formula to be taken 3 days post ovulation for 5 days

Pai Luan Hou Feng (After Ovulation Formula)

Dang gui Radix Angelicae Sinensis Bai Shao Radix Paeoniae Alba Shan Zhu Yu Fructus Corni Shu Di Huang Radix Rehmanniae Praeparata Shan Yao Rhizoma Dioscoreae He Shou Wu Radix Polygoni Multiflori Gou Qi Zi Fructus Lycii Tu Si Zi Semen Cuscutae Dang Shen Radix Codonopsis Wu Wei Zi Fructus Schisandrae


Acupuncture post implantation

Bai Hui Du 20 Si Shen Cong Yin Tang Ear: Shen Men, Kidney, Spleen

Herbal Formula for Post-Implantation


Hu Tai Fang (Protect the Fetus Formula)


Sang Ji Sheng Herba Taxilli Xu Duan Radix Dipsaci Tu Si Zi Semen Cuscutae Gou Qi Zi Fructus Lycii Shan Zhu Yu Fructus Corni Dang Shen Radix Codonopsis Bai Shao Radix Paeoniae Alba Bai Zhu Rhizoma Atractylodis Macrocephalae Huang Qi Radix Astragali Suan Zao Ren Semen Ziziphi Spinosi



Kang Mian Er Hao (Immunity formula for helping pregnancy #2)

Dang Gui 9 g Radix Angelicae Sinensis Bai Shao 9 g Radix Paeoniae Lactiflorae Chuan Xiong 9 g Radix Ligustici Wallichii Tao Ren 9 g Semen Persicae Hong Hua 9 g Flos Carthami Tinctorii Yan Hu Suo 9 g Rhizoma Corydalis Yanhusuo Dan Shen 30 g Radix Salviae Miltiorrhizae Yi Mu Cao 18 g Herba Leonuri Heterophylli Gui Zhi 6 g Ramulus Cinnamomi Cassiae Xu Chang Qing 9 g Radix Cynanchi Paniculati Yin Yang Huo 15 g Herba Epimedii Tu Si Zi 9 g Semen Cuscatae Huang Qi 30 g Radix Astragali Gan Cao 9 g Radix Glycyrrhizae Uralensis





Patients suffering from immune related miscarriage

- Spleen Qi vacuity or Kidney Yang Vacuity
- Stagnation of qi, blood, damp, phlegm
- Heat or damp heat
- Upper jiao yin vacuity

An Tai Wan (Calm the fetus pill)

When given for three months to 277 patients 96 % testing within the normal levels after this time.

How does it work?

It appears to suppress the aggressive Th1 action of the NK cells, as well as supporting the TH2 suppressive response.

